

FM-02-124-C

2025 5 5
2015 3 1

GB/T 16483 GB/T 17519
17801
8.0

Acetone

295

515000

jhd-service@ghitech.com

0754-88221999

0754-82515813

0532-83889090



GHS

(2)
(2)
/ (3)
(3)



●

295

E-mail jhd-service@ghitech.com

1 / 7

(86) 0754-88213888

www.ghitech.com

17801

2025 5 5

P210

P233

P240

P241 [/ /]

P242

P243

P261 / / / / /

P264 + P265

P271

P280 / / / /

●

P303 + P361 + P353 () : []

P304 + P340 :

P305 + P351 + P338 : ,

P319

P332 + P317 :

P337 + P317 :

P370 + P378

●

P403 + P233 + P235

P405

●

P501 / /

/

%

99.5

CAS

67-64-1

	GBZ 2.1-2019	PC-TWA	300 mg/m ³	
		PC-STEL	450 mg/m ³	

PH

(=1) 0.79
 =1 1.52
 260

[%] 13
kJ/mol
 / -0.24

[%] 2
kPa 24.5 (20)
MPa

2025 5 5

LD50 - - 5,800 mg/kg
LC50 - - 4 h - 76 mg/l -
:
LD50 - - 20,000 mg/kg

- -

- -

-

IARC ACGIH EPA NTP

IARC

UN 1090

3

II

/

2015

2013

2015

GB 18218-2018

(t):1000

2011

2003

2013

295
